

Bits & Pieces

Advanced Compiler Techniques
2004
Erik Stenman
EPFL

Exceptions

- ◆ In languages that support exceptions there are usually two ways to generate exceptions:
 - ◆ Explicit, user controlled throwing of an exception, e.g. `throw MyException;`
 - ◆ Implicit, exceptions thrown when there is a runtime error e.g. `x = 0; 42/x;`
- ◆ And two ways to handle the exceptions:
 - ◆ Explicit catch of the exception, e.g. `try E catch MyException { ... }`
 - ◆ "Program crash".

2

Advanced Compiler Techniques 2004-06-18
<http://lamp.epfl.ch/teach/ug/advancedComp1/err/>

Exception Handlers

- ◆ We can distinguish between two cases:
 - ◆ A local handler: When the code that throws the expression is syntactically contained in the try.
 - ◆ A non-local return: When the try expression contains a function call.

3

Advanced Compiler Techniques 2004-06-18
<http://lamp.epfl.ch/teach/ug/advancedComp1/err/>

Local Exception Handlers

- ◆ For an expression like:


```
try x/y;
catch ArithmeticException (e) { foo() };
```
- ◆ There are basically two ways to handle this:
 1. Rewrite each operation in the try that can fail so that it explicitly takes the address of the handler as an argument. (During compilation a stack is needed to find the right handler if there are nested tries.) (Erlang)
 2. Register the address of the handler at load time, and associate each instruction in the try with the handler address. If an instruction fails, do a lookup at runtime with the current PC. (Java)

4

Advanced Compiler Techniques 2004-06-18
<http://lamp.epfl.ch/teach/ug/advancedComp1/err/>

Non-local returns

- ◆ For an expression like:


```
try bar();
catch ArithmeticException (e) { foo() };
```
- ◆ There are basically two ways to handle this:
 1. When entering a try expression put the address of the handler on the stack (need a "permanent" slot in the activation record). Or even better: use a stack map that maps the return address to the address of the exception handler. (Erlang)
 2. Register the address of the handler at load time, and associate each instruction in the try with the handler address. (Java)

5

Advanced Compiler Techniques 2004-06-18
<http://lamp.epfl.ch/teach/ug/advancedComp1/err/>

Non-local returns: Method 1

- ◆ If an exception occurs look at the stack, if there is an exception handler jump to it.
- ◆ If there is no handler in the current frame, unwind the stack until a handler is found. When a handler is found, restore values saved on the stack and jump to the handler.

6

Advanced Compiler Techniques 2004-06-18
<http://lamp.epfl.ch/teach/ug/advancedComp1/err/>

Non-local returns: Method 2

- ◆ If an exception occurs lookup the current address, if there is a handler jump to it.
- ◆ If there is no handler unwind the stack and do a lookup for each return address until a handler is found. When a handler is found, restore values saved on the stack and jump to the handler.

7

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Complications in the Intermediate Code

- ◆ Normally a function call does not need to end a basic block. If a later phase in the compiler takes care of saving of live registers, a call can be seen as just another instruction.
- ◆ Function calls within an exception handler will have two possible continuations, one for a normal return and one for the case when an exception is thrown.

8

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Linker & Loaders

- ◆ *Linkers & Loaders* links several compilation units together into a program and loads it into memory.
- ◆ The compilation units are stored in *object files*.
- ◆ Linkers and loaders perform several related but conceptually separate actions.
 - ◆ *Program loading*. (Loaders)
 - ◆ *Relocation*. (Linker or loaders)
 - ◆ *Symbol resolution*. (Linkers)

9

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Symbol Resolution

- ◆ Each object file contains a symbol table, which contains:
 - ◆ Global symbols defined by the unit.
 - ◆ External symbols. (Referenced symbols)
 - ◆ Segment names (e.g. text, data).
 - ◆ Local symbols (for debugging).
 - ◆ Line numbers (for debugging).
- ◆ First all names are stored in a global symbol table, in the second phase during relocation references to symbols are replaced by their addresses.

10

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Relocation

- ◆ All object files are usually assumed to start at address zero. The relocation phase rewrites the code using the actual offset of each segment.
- ◆ Relocation can be done both at link time and at load time.
- ◆ Each object file contains a relocation table, a list of all places in the file that needs to be relocated.
- ◆ This list must contain information about addressing modes (e.g. PC relative) and what instruction to relocate (e.g. `jmp` or `sethi`).

11

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Loading

- ◆ Assuming that linking has been done, the loading is quite simple:
 1. Read the header of the object file to find out the memory need of the program.
 2. Allocate memory.
 3. Read the program into the allocated memory.
 4. Create stack space.
 5. Set up runtime information (such as program arguments).
 6. Jump to the first instruction in the program.

12

Advanced Compiler Techniques 2004-06-18
<http://lamp.ezfl.ch/teach/ug/advancedComp1/err/>

Dynamic Linking and Loading

- ◆ Dynamic linking defers much of the linking until runtime. This makes sharing of libraries much easier and makes it possible to load and unload parts of the program at runtime.
- ◆ These advantages come at the price of higher runtime, since linking has to be done each time the program is run.
- ◆ There is also a constant problem of versioning. A statically linked program will always have the same version of libraries, but a dynamically linked will usually always have the latest version. This is both a blessing and a problem.

13

Advanced Compiler Techniques 2004-06-18
<http://lamp.eaff.ch/teach/ug/advancedComp1er/>

Linking and Loading in VMs

- ◆ Modern virtual machines usually use dynamic linking and loading and can support code updates. (Java supports dynamic loading, classes are loaded as they are needed. Erlang supports dynamic updates, a module can be replaced by a new version in a running system.)
- ◆ Most of the loader can usually be written in the high level language itself and can be customized and replaced by the user.

14

Advanced Compiler Techniques 2004-06-18
<http://lamp.eaff.ch/teach/ug/advancedComp1er/>

Q & A

- Q** When allocating memory from a free list, why not use worst fit?
- A** Worst fit always allocates from the largest free block, and is commonly implemented using a size-ordered free block chain (largest first). The problem is that in practice, this tends to work quite badly because it eliminates all large blocks, so large requests cannot be met.

15

Advanced Compiler Techniques 2004-06-18
<http://lamp.eaff.ch/teach/ug/advancedComp1er/>

Summary

- ◆ The goal of this course was for you to learn about compilation techniques used to obtain high performance on modern computer architectures, and techniques used to implement high level languages.
- ◆ In the course we have talked about:
 - ◆ Optimization techniques
 - ◆ Intermediate representations (CFGs and SSA), [interprocedural] and intraprocedural data-flow analysis, dependence analysis.
 - ◆ Optimization across basic blocks, procedures, [and complete programs].
 - ◆ Optimization techniques such as CSE, dead code elimination, constant and copy propagation, constant folding, code motion and loop transformations.
 - ◆ Instruction scheduling, register allocation.
 - ◆ Implementation of high level languages
 - ◆ Implementation of objects, higher order functions, [coroutines], and processes.
 - ◆ Memory management and uniprocessor garbage collector techniques.
 - ◆ Virtual machines and the efficient implementation of their interpreters.

16

Advanced Compiler Techniques 2004-06-18
<http://lamp.eaff.ch/teach/ug/advancedComp1er/>

Type Systems

- ◆ If you are still around here next semester I can recommend a course related to programming language implementation given by Sebastian Maneth.
- ◆ The study of type systems has important applications in software engineering, language design, high-performance compilers, and security.
- ◆ The course "Type Systems" has the following goals:
 - ◆ The student will learn the basic principles of type systems as they appear in modern programming languages.
 - ◆ The acquired knowledge will be sufficient to design small type systems, and it will also sharpen the student's awareness of typeful programming as such. The latter is an indispensable skill when programming in strongly typed languages.
- ◆ The course will cover simple types, lambda-calculus, normalization, references, exceptions, subtyping, recursive types, polymorphism, and advanced features of the Scala type system

Bibliographic: "Types and Programming Languages" B. Pierce, MIT Press, 2002. ISBN 0-262-16209-1

17

Advanced Compiler Techniques 2004-06-18
<http://lamp.eaff.ch/teach/ug/advancedComp1er/>