

Drei syntaxe abstraite et règles de typage

Martin Odersky

11 décembre 2006
version 1.1

Notations

| Notation | Interprétation |
|---|---|
| \bar{a} | séquence a_1, \dots, a_n pour $n \in \mathbb{N}$ |
| ϵ | séquence vide |
| $ \bar{a} $ | longueur de la séquence \bar{a} |
| \bar{a}, \bar{b} | concaténation des séquences \bar{a} et \bar{b} |
| $\bar{a} \mapsto \bar{\sigma}$ | $a_1 \mapsto \sigma_1, \dots, a_n \mapsto \sigma_n$ |
| $dom(\bar{a} \mapsto \bar{\sigma})$ | \bar{a} |
| $\Gamma_c; \Gamma_v \vdash \bar{t} : \bar{T}$ | $\Gamma_c; \Gamma_v \vdash t_1 : T_1, \dots, \Gamma_c; \Gamma_v \vdash t_n : T_n$ |

Notation

Interprétation

$$\Gamma \vdash \bar{X} \Rightarrow \Gamma' \quad \Gamma_n \text{ pour } \left\{ \begin{array}{l} \Gamma \vdash X_1 \Rightarrow \Gamma_1 \\ \vdots \\ \Gamma_{n-1} \vdash X_n \Rightarrow \Gamma_n \end{array} \right.$$

Notation

Interprétation

$$\Gamma + (a \mapsto \sigma) \quad \left\{ \begin{array}{ll} \Gamma, a \mapsto \sigma & \text{si } a \notin dom(\Gamma) \\ \Gamma', a \mapsto \sigma, \Gamma'' & \text{si } \Gamma = \Gamma', a \mapsto \sigma', \Gamma'' \end{array} \right.$$

$$\Gamma \uplus \Gamma' \quad \Gamma, \Gamma' \text{ si } dom(\Gamma) \cap dom(\Gamma') = \epsilon$$

| Notation | Interprétation |
|----------------------------|---|
| $fields(\bar{d})$ | $\biguplus_{\text{val } a:T \in \bar{d}} (a \mapsto \text{Field}(T))$ |
| $methods(\bar{d})$ | $\biguplus_{\text{def } a(\bar{a}:\bar{T}):T=t \in \bar{d}} (a \mapsto \text{Meth}(\bar{T} T))$ |
| $params(\bar{a}, \bar{T})$ | $\bigoplus_{a,T \in (\bar{a}, \bar{T})} (a \mapsto \text{Var}(T))$ |

Grammaire abstraite

| | | |
|------------|--|------------------------|
| nom | a, b | |
| programmes | $P ::= \bar{D} S$ | |
| classes | $D ::= \text{class } a \text{ extends } s \{ \bar{d} \}$ | déclaration de classe |
| | $s ::= a \mid \text{none}$ | super classe |
| membres | $d ::= \text{val } a : T$ | déclaration de champ |
| | $ \text{def } a(\bar{a} : \bar{T}) : T = t$ | déclaration de méthode |
| types | $T, U ::= a$ | type de classe |
| | $ \text{Int}$ | type entier |
| | $ \text{None}$ | type indéterminé |

| | | |
|-------------|----------------------------|----------------------|
| expressions | $t, u ::= a$ | variable |
| | $ \text{new } a(\bar{t})$ | création d'instance |
| | $ t.a$ | sélection de champ |
| | $ t.a(\bar{t})$ | appel de méthode |
| | $ n$ | nombre entier |
| | $ unop t$ | opération unaire |
| | $ t binop t'$ | opération binaire |
| | $ \text{readInt}$ | lecture d'entier |
| | $ \text{readChar}$ | lecture de caractère |
| | $ \{ \bar{S} t \}$ | block |
| | $ \text{empty}$ | |

| | | |
|--------------|---|--------------------------|
| énoncés | $S ::= \text{while } t S$ | exécution en boucle |
| | $ \text{if } t \text{ then } S \text{ else } S'$ | exécution conditionnelle |
| | $ \text{var } a : T = t$ | déclaration de variable |
| | $ \text{set } a = t$ | définition de variable |
| | $ \text{do } t$ | instruction |
| | $ \text{printInt}(t)$ | impression d'entier |
| | $ \text{printChar}(t)$ | impression de caractère |
| | $ \{ \bar{S} \}$ | énoncé composite |
| op. unaires | $unop ::= - \mid !$ | |
| op. binaires | $binop ::= + \mid - \mid * \mid / \mid \%$ | |
| | $ = \mid \neq \mid < \mid \leq \mid \geq \mid >$ | |
| | $ \wedge$ | |

Symboles

classe $\sigma_c ::= \text{Class}(\bar{a}|\Gamma_f|\Gamma_m)$
 \bar{a} : parents, Γ_f : champs, Γ_m : méthodes
 champ $\sigma_f ::= \text{Field}(T)$
 T : type du champ
 méthode $\sigma_m ::= \text{Meth}(\bar{T}|T)$
 \bar{T} : types des paramètres, T : type de retour
 variable $\sigma_v ::= \text{Var}(T)$
 T : type de la variable

Portées

classes $\Gamma_c ::= \bar{a} \mapsto \overline{\sigma_c}$
 champs $\Gamma_f ::= \bar{a} \mapsto \overline{\sigma_f}$
 méthodes $\Gamma_m ::= \bar{a} \mapsto \overline{\sigma_m}$
 variables $\Gamma_v ::= \bar{a} \mapsto \overline{\sigma_v}$

Règles de typage

$$\begin{array}{c}
 \text{PROGRAM} \\
 \text{none} \mapsto \text{Class}(\epsilon|\epsilon|\epsilon) \vdash \bar{D} \Rightarrow \Gamma_c \\
 \frac{\Gamma_c \vdash \bar{D} \diamond \quad \Gamma_c; \epsilon \vdash S \Rightarrow \epsilon}{\bar{D} S \diamond}
 \end{array}$$

- $P \diamond$ means : Program P is well-formed.
- A program $\bar{D} S$ is well formed if its declarations \bar{D} generate a **class environment** Γ_c and its statement S is well-formed in this environment
- The **initial environment** $\text{none} \mapsto \text{Class}(\epsilon|\epsilon|\epsilon)$ maps the “undefined” superclass **none** to a symbol denoting an empty class without ancestors.

CLASS1

$$\frac{s \mapsto \text{Class}(\bar{a}|\Gamma_f|\Gamma_m) \in \Gamma_c \quad \Gamma'_f = \Gamma_f \uplus \text{fields}(\bar{d}) \quad \Gamma'_m = \Gamma_m + \text{methods}(\bar{d}) \quad \Gamma'_c = \Gamma_c \uplus (a \mapsto \text{Class}(a, \bar{a}|\Gamma'_f|\Gamma'_m))}{\Gamma_c \vdash \text{class } a \text{ extends } s \{\bar{d}\} \Rightarrow \Gamma'_c}$$

- $\Gamma_c \vdash D \Rightarrow \Gamma'_c$ means : In class environment Γ_c the class declaration D is well-formed, and leads to a new class environment Γ'_c
- Preconditions :
 - The superclass s must be defined in Γ_c .
 - All class member definitions are added to the scopes, but without checking them.

CLASS2

$$\frac{\Gamma_c; a \vdash \bar{d} \diamond}{\Gamma_c \vdash \text{class } a \text{ extends } s \{ \bar{d} \} \diamond}$$

- $\Gamma_c \vdash D \diamond$ means : In class environment Γ_c the class declaration D is well-formed.
- Both this and Class1 must be valid for a particular class to be valid.
- Preconditions :
 - All class member definitions \bar{d} must be well-formed.

FIELD

$$\frac{\Gamma_c \vdash T \diamond}{\Gamma_c; b \vdash \text{val } a : T \diamond}$$

- $\Gamma_c; b \vdash d \diamond$ means : Given a class environment Γ_c , definition d is well-formed as a member of class b .
- A field definition is well-formed if its type is well-formed.
- The corresponding rule for methods is much more complicated...

METHOD

$$\frac{\begin{array}{c} \Gamma_c \vdash T \diamond \quad \Gamma_c \vdash \bar{T} \diamond \quad b \mapsto \text{Class}(\bar{b}|\Gamma_f|\Gamma_m) \in \Gamma_c \\ \forall c \in \bar{b}. c \mapsto \text{Class}(\bar{c}|\Gamma'_f|\Gamma'_m) \in \Gamma_c \wedge a \mapsto \text{Meth}(\bar{U}|U) \in \Gamma'_m \Rightarrow \left\{ \begin{array}{l} \Gamma_c \vdash \bar{U} <: \bar{T} \\ \Gamma_c \vdash T <: U \end{array} \right. \\ \Gamma_v = \text{params}((this, \bar{a}), (b, \bar{T})) \quad \Gamma_c; \Gamma_v \vdash t : T' \quad \Gamma_c \vdash T' <: T \end{array}}{\Gamma_c; b \vdash \text{def } a(\bar{a} : \bar{T}) : T = t \diamond}$$

Preconditions :

- Parameter types and result type are well-formed.
- If the method overrides a method a in a base class :
 - Its result type must be a subtype of a 's result type.
 - Its parameter types must be supertypes of a 's parameter types.
- The body t of the method must have a type which is a subtype of the declared result type.
- The body t is typed in a variable environment Γ_v where
 - All method parameters are bound to their types.
 - The special name *this* is bound to the current class b .

CLASSTYPE

$$\frac{a \mapsto \text{Class}(\bar{a}|\Gamma_f|\Gamma_m) \in \Gamma_c}{\Gamma_c \vdash a \diamond}$$

$$\frac{}{\Gamma_c \vdash \text{Int} \diamond}$$

$$\frac{}{\Gamma_c \vdash \text{None} \diamond}$$

- $\Gamma_c \vdash T \diamond$ means : Type T is well-formed in class environment Γ_c .
- Classes are well-formed if their name is bound in the class environment.
- Types Int and None are always well-formed.

$$\text{SUBCLASS} \quad \frac{a \mapsto \text{Class}(\bar{a}|\Gamma_f|\Gamma_m) \in \Gamma_c}{\Gamma_c \vdash a <: a_i}$$

$$\text{INTRFL} \quad \frac{}{\Gamma_c \vdash \text{Int} <: \text{Int}}$$

$$\text{NONEREFL} \quad \frac{}{\Gamma_c \vdash \text{None} <: \text{None}}$$

- $\Gamma_c \vdash T <: U$ means : Type T is a subtype of type U , assuming a class environment Γ_c .
- A class type is a subtype of all its ancestor classes.
- Note that a class is its own ancestor, as seen from rule Class1.
- Types Int and None are only subtypes of themselves.

$$\text{IDENT} \quad \frac{a \mapsto \text{Var}(T) \in \Gamma_v}{\Gamma_c; \Gamma_v \vdash a : T}$$

SELECT

$$\frac{\Gamma_c; \Gamma_v \vdash t : b \quad b \mapsto \text{Class}(\bar{b}|\Gamma_f|\Gamma_m) \in \Gamma_c \quad a \mapsto \text{Field}(T) \in \Gamma_f}{\Gamma_c; \Gamma_v \vdash t.a : T}$$

- The rule for **identifiers** demands that every identifier is defined.
- Identifier bindings are found in the value environment Γ_v .
- In a **selection** $t.a$, the term t must have a class type, b .
- The symbol for a is then found in the field environment of class b .

$$\text{CALL} \quad \frac{\Gamma_c; \Gamma_v \vdash t : b \quad b \mapsto \text{Class}(\bar{b}|\Gamma_f|\Gamma_m) \in \Gamma_c \quad a \mapsto \text{Meth}(\bar{T}|T) \in \Gamma_m \quad \Gamma_c; \Gamma_v \vdash \bar{t} : \bar{U} \quad \Gamma_c \vdash \bar{U} <: \bar{T}}{\Gamma_c; \Gamma_v \vdash t.a(\bar{t}) : T}$$

- The rule [CALL] is similar to [SELECT].
- New precondition : The types of function arguments must match (i.e. be subtypes of) the types of formal parameters.
- Implicitly, this demands that the numbers of arguments and formals are the same.

NEW

$$\frac{a \mapsto \text{Class}(\bar{b}|\Gamma_f|\Gamma_m) \in \Gamma_c \quad \Gamma_f = \bar{a} \mapsto \overline{\text{Field}(T)} \quad \Gamma_c; \Gamma_v \vdash \bar{t} : \bar{U} \quad \Gamma_c \vdash \bar{U} <: \bar{T}}{\Gamma_c; \Gamma_v \vdash \text{new } a(\bar{t}) : a}$$

$$\text{INTLIT} \quad \frac{\Gamma_c; \Gamma_v \vdash n : \text{Int}}{\Gamma_c; \Gamma_v \vdash \text{unop } t : \text{Int}}$$

$$\text{UNOP} \quad \frac{\Gamma_c; \Gamma_v \vdash t : \text{Int}}{\Gamma_c; \Gamma_v \vdash \text{unop } t : \text{Int}}$$

- The name a must refer to a class
- The arguments \bar{t} must match (in number and type) the fields of class a .

$$\frac{\text{BINOP} \quad \text{binop} \notin \{=, \neq\} \quad \Gamma_c; \Gamma_v \vdash t : \text{Int} \quad \Gamma_c; \Gamma_v \vdash u : \text{Int}}{\Gamma_c; \Gamma_v \vdash t \text{ binop } u : \text{Int}}$$

$$\frac{\text{OBJCOMP} \quad \text{binop} \in \{=, \neq\} \quad \Gamma_c; \Gamma_v \vdash t : T \quad \Gamma_c; \Gamma_v \vdash u : U \quad \Gamma_c \vdash T <: U \vee \Gamma_c \vdash U <: T}{\Gamma_c; \Gamma_v \vdash t \text{ binop } u : \text{Int}}$$

- The operands t and u may have possible different types T and U .
- But one of T, U must be a subtype of the other.
- Are there other possible design choices ?

$$\frac{\text{IF} \quad \Gamma_c; \Gamma_v \vdash t : \text{Int} \quad \Gamma_c; \Gamma_v \vdash S \Rightarrow \Gamma_v \quad \Gamma_c; \Gamma_v \vdash S' \Rightarrow \Gamma_v}{\Gamma_c; \Gamma_v \vdash \text{if } t \text{ then } S \text{ else } S' \Rightarrow \Gamma_v}$$

- $\Gamma_c; \Gamma_v \vdash S \Rightarrow \Gamma'_v$ means : In class environment Γ_c and value environment Γ_v the statement S is well-formed and it leads to a new value environment Γ'_v .
- Γ'_v is the same as Γ_v except if the statement S is a variable declaration : in that case, Γ'_v augments Γ_v with a binding for the declared variable.
- In an **if-statement** $\text{if } t \text{ then } S \text{ else } S'$:
 - The condition t must be of type Int.
 - The branches S, S' must both be well-formed statements.

$$\frac{\text{READINT} \quad \Gamma_c; \Gamma_v \vdash \text{readInt} : \text{Int}}{\Gamma_c; \Gamma_v \vdash \text{readChar} : \text{Int}}$$

$$\frac{\text{BLOCK} \quad \Gamma_c; \Gamma_v \vdash \bar{S} \Rightarrow \Gamma'_v \quad \Gamma_c; \Gamma'_v \vdash t : T^{\text{EMPTY}}}{\Gamma_c; \Gamma_v \vdash \{ \bar{S} t \} : T}$$

- The statements \bar{S} must be well-formed, producing a value environment Γ'_v . See slide 3 for notation !
- Γ'_v contains Γ_v and adds bindings resulting from definitions in \bar{S} .
- The final expression t is then typed with Γ'_v as environment.
- The type of t is also the type of the block.

$$\frac{\text{WHILE} \quad \Gamma_c; \Gamma_v \vdash t : \text{Int} \quad \Gamma_c; \Gamma_v \vdash S \Rightarrow \Gamma_v}{\Gamma_c; \Gamma_v \vdash \text{while } t S \Rightarrow \Gamma_v}$$

VAR

$$\frac{\Gamma_c; \Gamma_v \vdash t : U \quad \Gamma_c \vdash U <: T \quad \Gamma'_v = \Gamma_v + a \mapsto \text{Var}(T)}{\Gamma_c; \Gamma_v \vdash \text{var } a : T = t \Rightarrow \Gamma'_v}$$

In a **variable declaration** $\text{var } a : T = t :$

- The declared variable type T must be well formed.
- The initial expression t must have a type which is a subtype of T .
- The variable declaration then produces a new environment which adds the binding $a \mapsto \text{Var}(T)$ to Γ_v .

$$\text{SET} \quad \frac{a \mapsto \text{Var}(T) \in \Gamma_v \quad \Gamma_c; \Gamma_v \vdash t : U \quad \Gamma_c \vdash U <: T}{\Gamma_c; \Gamma_v \vdash \text{set } a = t \Rightarrow \Gamma_v}$$

$$\text{Do} \quad \frac{\Gamma_c; \Gamma_v \vdash t : T}{\Gamma_c; \Gamma_v \vdash \text{do } t \Rightarrow \Gamma_v}$$

$$\text{PRINTINT} \quad \frac{\Gamma_c; \Gamma_v \vdash t : \text{Int}}{\Gamma_c; \Gamma_v \vdash \text{printInt}(t) \Rightarrow \Gamma_v}$$

$$\text{PRINTCHAR} \quad \frac{\Gamma_c; \Gamma_v \vdash t : \text{Int}}{\Gamma_c; \Gamma_v \vdash \text{printChar}(t) \Rightarrow \Gamma_v}$$

$$\text{COMPOUND} \quad \frac{\Gamma_c; \Gamma_v \vdash \bar{S} \Rightarrow \Gamma'_v}{\Gamma_c; \Gamma_v \vdash \{ \bar{S} \} \Rightarrow \Gamma_v}$$

- The rule for **compound statements** reflects the block structure of Drei :
- After a compound statement, all definitions added to the original value environment Γ_v are forgotten.